

This lab will count as one homework check and you will not be allowed to drop it. You are encouraged to work with others.

[illegible]

2. Use the information from the table to complete the following sentences. Fill in the blanks with

<u>"converges to $\#$"</u> (specify number)	or	<u>"diverges"</u>
The sequence $a_n = \frac{1}{n^2}$ _____	and the series $\sum_{n=1}^{\infty} \frac{1}{n^2}$	_____
The sequence $a_n = \frac{1}{n}$ _____	but the series $\sum_{n=1}^{\infty} \frac{1}{n}$	_____
The sequence $a_n = \frac{1}{\sqrt{n}}$ _____	but the series $\sum_{n=1}^{\infty} \frac{1}{\sqrt{n}}$	_____
The sequence $a_n = \left(\frac{1}{2}\right)^n$ _____	and the series $\sum_{n=1}^{\infty} \left(\frac{1}{2}\right)^n$	_____
The sequence $a_n = \left(-\frac{1}{2}\right)^n$ _____	and the series $\sum_{n=1}^{\infty} \left(-\frac{1}{2}\right)^n$	_____
The sequence $a_n = 2^n$ _____	and the series $\sum_{n=1}^{\infty} 2^n$	_____
The sequence $a_n = \frac{n}{n+1}$ _____	but the series $\sum_{n=1}^{\infty} \frac{n}{n+1}$	_____
The sequence $a_n = \frac{n}{n^2+1}$ _____	but the series $\sum_{n=1}^{\infty} \frac{n}{n^2+1}$	_____
The sequence $a_n = 3$ _____	but the series $\sum_{n=1}^{\infty} 3$	_____

3. Look at all of the series (sums) that converge in the last column above. What is the limit of their corresponding sequence(list) a_n ?

Use this observation to complete the following:

If the series $\sum_{n=1}^{\infty} a_n$ converges, then the limit of the sequence, $\lim a_n =$ _____

4. But does it work the other way? If the limit of the sequence a_n is zero (i.e. $\lim a_n = 0$), then does it guarantee that the series will converge? **NO!!**

State one of the examples above which shows that it does not work.

5. Consider the **sequence** $a_n = (-1)^n$

(a) List the first 5 terms of the **sequence**.

(b) Does the limit of this **sequence** exist?

(c) Use your calculator (or your brain) to compute the following **sums**:

$$\sum_{n=1}^{500} (-1)^n =$$

$$\sum_{n=1}^{504} (-1)^n =$$

$$\sum_{n=1}^{501} (-1)^n =$$

$$\sum_{n=1}^{505} (-1)^n =$$

$$\sum_{n=1}^{502} (-1)^n =$$

$$\sum_{n=1}^{506} (-1)^n =$$

$$\sum_{n=1}^{503} (-1)^n =$$

$$\sum_{n=1}^{507} (-1)^n =$$

Do the **sums** seem to be approaching a single value?

Does the **series** $\sum_{n=1}^{\infty} (-1)^n$ converge or diverge? Why or why not?

6. Define $s_k = \sum_{n=1}^k a_n = a_1 + a_2 + a_3 + \cdots + a_k$ to be the sum of the first k terms.

Note: This is nothing new – these are the sums that you have been computing using `sum(seq(...))`.

The k just tells you when to stop adding. So for each different k you get a new number and calling it s_k .

Ex: If $a_n = \left(\frac{2}{3}\right)^n$, then $s_3 = \sum_{n=1}^3 \left(\frac{2}{3}\right)^n = \frac{2}{3} + \frac{4}{9} + \frac{8}{27} = 1.407407407$

(a) Use the calculator to find $s_1, s_2, s_3, s_4, s_5, s_6$ for the sequence $a_n = \left(\frac{2}{3}\right)^n$. Keep 4 decimal places.

$$s_1 =$$

$$s_2 =$$

$$s_3 =$$

$$s_4 =$$

$$s_5 =$$

$$s_6 =$$

(b) Now let each s_k become terms in it's own sequence. List the values found in part (a) as the first 6 terms of the sequence below.

$$\{s_k\}_{k=1}^{\infty} = \{s_1, s_2, s_3, s_4, s_5, s_6, \dots\} =$$

(c) Compute larger partial sums such as $s_{10}, s_{100}, s_{500}, s_{999}$ like you did in problem #1. Does it look like the sequence $\{s_k\}$ converges? If so, to what number?

i.e. $\lim_{k \rightarrow \infty} s_k =$ _____.

i.e. $\lim_{k \rightarrow \infty} \sum_{n=1}^k a_n =$ _____.

i.e. $\sum_{n=1}^{\infty} a_n =$ _____.

7. Explain the each of the following in your own words. Consider the following questions: How are they different and how are they related? Are any of them the same thing?

(a) a_n

(b) $\sum_{n=1}^k a_n$

(c) s_k

(d) $\{s_k\}$

(e) $\lim_{k \rightarrow \infty} s_k$

(f) $\sum_{n=1}^{\infty} a_n$