The values listed (in order) below give the commuting times (in minutes) for 24 randomly selected commuter students.

10 12 12 14 16 16 18 18 18 20 20 22 22 22 24 24 24 26 28 28 30 36 40 40

## Steps for finding the $k^{th}$ Percentile, (i.e. finding $P_k$ )

 $\underline{\mathbf{E}}\mathbf{x}$  Find the  $60^{th}$  **percentile** of the data set above.

**1.** List the n data values in increasing order

- 1. ✓ Already done
- **2.** Find the **Location** L of the percentile by computing

$$L = k\% \times n = \frac{k}{100} \times n$$

**2.** Location  $L = 60\% \cdot 24 = .60 \cdot 24 = 14.4$ 

**3.** Is L a whole number?

Yes	No		
Keep $L$ the same	Round $L$ up to the next whole number		
<b>\</b>	$\downarrow$		

**3.** Since L=14.4 is not a whole number, round up: L=15

4.

The value of  $P_k$  is halfway between the  $L^{th}$  value and the next value in the list

The value of  $P_k$  is the  $L^{th}$  value in the list

**4.**  $P_{60}$  is the value in the 15<sup>th</sup> position. i.e.  $P_{60} = 24$ 

 $\mathbf{\underline{Ex}}$  Find the  $25^{th}$  percentile of the data set above.

 $\underline{\mathbf{E}}\mathbf{x}$  Find the percentile corresponding to a 14 minute commute.

To find which percentile a value x belongs to, compute:

 $\text{percentile (of value } x) = \frac{\text{number of values less that } x}{\text{total number of values } n} \times 100$ 

Percentil	es and	Quar	tiles							Page 2
5. Suppose a that you have a normally distributed data set with a mean of 120 and a standard deviation of 15.										
(a). How many standard deviations above the mean is the value 130? What is the z-score?										
(b). How many standard deviations below the mean is the value 45? What is the z-score?										
6. The Beanstalk Club is limited to tall women and men. Women's heights (in general) have a mean height of 63.6 in with a standard deviation of 2.5 in. The minimum height requirement for women is 70 in. Find the z-score corresponding to a woman with a height of 70 in. and determine whether it is unusual.										
7. Given the following data set,										
102 103 164 169 205 207 242 242	171 209	113 175 211 247	114 183 216 249	122 186 221 252	122 187 225 267	130 188 229 269	136 200 235 272	140 202 240 284	160 203 240 285	161 205 242 289
(a). Find	$P_{10}$									
<b>(b)</b> . Find	$P_{30}$									
(c). Find	$Q_3$									
(d). Find	the per	rcentile	e corre	spondi	ing to	the da	ta val	ue 171		

(e). Find the percentile corresponding to the data value 235

8. Given the following data set

(a). Use your calculator to find the 5 number summary.

(b). Construct a boxplot.

9. The following data gives the time (in months) that 20 nurses have been at their current position at General Hospital.

The following data gives the time (in months) that 20 people in the clerical staff have been at their current position at General Hospital.

- (a). Construct separate boxplots (on the same scale) for each data set.

(b). Compare the two data sets.

(c). Does the data indicate that General Hospital should be concerned that about a high turnover of nurses compared with the clerical staff?