

Mathematical Expressions in Microsoft Word

These instructions assume that you are familiar with using MS Word for ordinary word processing*. If you are not comfortable entering and formatting text and using commands (and keyboard shortcuts) such as Copy (Ctrl + C), Cut (Ctrl + X), Paste (Ctrl + V), and Find (Ctrl + F), ask the instructor for help. One of the things you will learn in these instructions is how to make your own keyboard shortcuts. It is important to avoid choosing shortcuts that are already used for common tasks.

- Open a new Word document.
- Change the font to **Times New Roman** by doing one of the following options (Read both options before deciding which one you prefer).
 - Option 1 will change the font for any subsequently typed text in this document only: On the **Home** tab, select the Times New Roman font from the drop down menu. You may leave the size as 11 pt or change it to 12 pt.
 - Option 2 will change the default font used for this document (and optionally for all documents): On the **Home** tab, click on **Change Styles**. From the drop down menu, select **Font ► Office Classic** (3rd option down). Click on **Change Styles** again and select **Style Set**. From the drop down menu, select **Office 2003**. Now the default should be Times New Roman, 12pt font (just as it was for Office 2003). If you want to make this the default font style for future documents, click on **Change Styles** again and select **Set as Default**.

Math Text Conventions

Consider the following sentence:

For every integer $m > 0$, there exist real numbers a, b so that $a < m < b$.

Although the sentence makes sense, it should *look* different than what you expect to see in any typical math text. There is no distinction between the text and the letters representing variables, which may be confusing to the reader. Hence, the common convention used is to italicize the letters that represent variables. Also, each binary operator (e.g. $+$, $\times$, $\div$) and each comparison symbol (e.g. $=$, $<$) should have space on either side of it. For example, mathematicians write $a + b$ instead of $a+b$. This convention is handy for letting your audience know when the arithmetic starts and stops.

Simple mathematical expressions are easily made to look like standard mathematical text by italicizing the variables using the **Italicize** button  on the toolbar and adding spaces on either side of the symbols.

- Use this method to type the sentence given above, making corrections to use the standard math text conventions given above. Your sentence should now look like the one below:

For every integer $m > 0$, there exist real numbers a, b so that $a < m < b$.

Inputting Symbols


Now suppose we want to type the following sentence.

Let a, b be real numbers such that $-3 \leq a + b < \infty$.

* These instructions are for Word 2010. If your home or work computer still has Office 2003, you can find a copy of this Activity with instructions for Word 2003 on the class webpage.

Unfortunately, neither the ' $\leq$ ' nor the ' ∞ ' symbols appear on your keyboard. But we can use the **Insert** menu to get both of them.

- Begin typing the sentence until you reach the point where you need the $\leq$ symbol.
- From the **Insert** tab, select **Symbol** from the **Symbols** group. This will open a drop down menu of recently and/or commonly used symbols. You may or may not see a $\leq$ symbol. If you click on it, it will insert it into your text. (Be careful though – if the most recently used symbol was in a different font, it may change your font when you begin typing again.) Whether you see the correct symbol or not, let's practice finding more symbols (and verifying the correct font).
- In the drop down menu, click on **More Symbols** and a dialog box that contains a chart of symbols similar to the one below should appear.



- Be sure that the **Font** option is **Times New Roman** or **normal text** and change the **Subset** option to **Mathematical Operators** and you should see both of the needed symbols.
- Double-click on the $\leq$ symbol and it will be inserted into your document where you left your cursor. Or you can select the symbol by clicking on it once, and then clicking on the **Insert** button. Before you continue typing the sentence, close the dialog box.
- Continue typing the sentence and insert the ∞ symbol in the same way.
- Finish typing the sentence, adding spaces and italics so that it looks like the sentence above.


Now suppose you wanted to type the following sentences:

I sure do love ∞ and $\leq$. I could type ∞ and $\leq$ all day like this $\leq, \infty, \leq, \infty, \leq, \infty, \leq, \dots$

Since it is a hassle to open the **Insert** ► **Symbol** menu each time, we have two other options. First, we can write the sentence without the symbols. Then insert only one ' ∞ ' and one ' $\leq$ ' and use **Copy/Paste** to insert the symbols in other parts of the sentence. Although this saves time, it is still not a great solution.

The second method is the better method where you will make a keyboard shortcut for any symbols that you will use often. Note that when creating keyboard shortcuts you have the option of creating one that can be used for all future documents on the computer or just for the current document. If you are working on a public or shared computer you should only make shortcuts for the current document, which is what we will do in this class. However, if you are working on your own computer, you may wish to make the shortcuts permanent and the directions in parentheses will show you how to do that.

- Begin to type the sentence above. When you get to the place where you would insert the first ' ∞ ', open the **Insert** ► **Symbol** ► **More Symbols** dialog box as before. But instead of double-clicking on the ' ∞ ' symbol, click once to select it and then click the **Shortcut Key** button. This will open the **Customize Keyboard** dialog box similar to below.



- **Important:** In the **Save changes in** box, use the pull-down menu to select the current document so that the shortcut is only valid for this document. (If you are working on your own computer, you may leave the file as **Normal.dotm**, which will make your shortcut a permanent change for all files.)
- We want to choose a shortcut that is easy to remember – since ‘∞’ looks like an 8 on its side, let’s use **Ctrl + 8** as the shortcut. Place your cursor in the **Press new shortcut key** box and enter the shortcut exactly as you want to use it, i.e. while holding down the **Ctrl** key, press the **8** key. It should automatically enter the combination **Ctrl + 8**.
- Now click **Assign** to save the shortcut. Close both dialog boxes. Practice using the shortcut by pressing **Ctrl + 8** to make sure it inserts the symbol properly.
- Create a shortcut for the ‘≤’ symbol in the same way using whatever shortcut you like. **Important** – make sure to only make changes to the current document while using a shared computer.
- Finish typing the sentences above using your keyboard shortcuts.

The Equation Editor

Consider the following line of text:

The equation $\sum_{n=1}^{\infty} \frac{1}{2^n} = 1$ can be demonstrated by cutting a sheet of paper into pieces.

Unfortunately, the methods learned so far are not powerful enough to handle the complications of getting math text above and below the summation symbol and a fraction. Luckily Word comes with a program called Equation Editor* that can be used for more complicated mathematical expressions. But we will start with a very simple sentence first.

The natural logarithmic function is denoted by $y = \ln x$.

- Begin typing the sentence above until you reach the point where you would type the function.
- Select the **Insert** tab and from the **Text** grouping, select **Object**. Select **Object** from the drop down menu and a dialog box will open. In the **Create New** tab, select **Microsoft Equation 3.0**. Be sure that the **Display as icon** box is **not** checked.

Several things happen when you open Equation Editor. First, an empty box appears where you left your cursor. This is the box where you will type your mathematical expressions. Second, the usual menus for

* Note: Some lab administrators do not install this program when Word is installed. If you are on a public computer and the following instructions do not work, consult a lab administrator for help. If you are using your own computer and cannot get these instructions to work, reinstall MS Word making sure to install Equation Editor during the install process.

Word are replaced by the Equation Editor menus at the top of the screen. Third, the usual fixed Toolbar at the top of the screen is gone and replaced by the single floating Equation Toolbar. Because it is floating, you can move it around wherever you want.


- Type $y = \ln x$ into the empty box without any extra space. You will see that the Equation Editor automatically adds spacing and italicizes the x and y , while leaving the $\ln$ in standard font just as you would expect to see it in a textbook.
- To close the Editor, either press ESC or click outside of the editing box in your regular Word document. If you want to edit your mathematical expression after you have exited the Editor, simply double-click on it to reopen the editing box.

Since we will be using Equation Editor a lot, we will create an icon button for it on our menu bar. There are two options. You can include the Insert Object option on your Quick Access Toolbar or you can create a macro that will directly open an equation box.

Option 1: Under File tab, click on Options and then Quick Access Toolbar. Under Choose commands from, select All Commands. Scroll down and select Insert Object. Click Add and it will be added to the right-hand side. Click OK and you should now see the Add Object icon  on your Quick Access Toolbar. Click on this icon to open the Object box and select Equation Editor 3.0 as before.

Option 2: First, we must create a macro which is just a shortcut for a series of operations (changing menus, clicking icons, keystrokes, etc.). *Since the macro records every step you do, be very careful to follow the directions exactly.*

- Under the View tab, click on Macros and select Record Macro... from the drop down menu. The Record Macro dialog box similar to the one below appears. In the Macro name box, type EquationEditor (without spaces, otherwise you will get an error). Make sure that All Documents (Normal.dotm) is selected in the Store macro in box. Click OK to close the dialog box. Word is now going to memorize the series of operations you do to open the Equation Editor, so be careful not to do anything unwanted or unnecessary. You can always cancel or delete a macro if you have made an error.



- Select the Insert tab.
- Select Object from the Text group.
- Select Object from the drop down menu.
- Select Microsoft Equation 3.0 from the dialog box. Click OK.
- Close the Equation Editor by pressing ESC.
- To stop recording the macro, go to the View tab and click on Macros. Select Stop Recording from the drop down menu.

Now that we have created the macro, we want to add an icon button to the Quick Access Toolbar (found at very top of the window).

- Right-click on **Quick Access Toolbar** and choose **Customize Quick Access Toolbar...** to open the Word Options dialog box.
- Under **Choose commands from**, select **Macros**. You should now see the macro **Normal.NewMacros.EquationEditor** listed in the left-hand side pane. Select **Normal.NewMacros.EquationEditor** and click on the **Add >>** button to move it over to the right-hand side pane. Click **OK**.
- You should now see a new icon  at the top of the toolbar. However, this icon doesn't seem very intuitive for Equation Editor, so let's choose a different icon:
 - Repeat the steps above to get to the **Word Options** dialog box. Select **Normal.NewMacros.EquationEditor** (now in the right-hand pane) and click on **Modify**.
 - You should now see a variety of different icons in the **Modify Button** window that opens. We would like something intuitive, so scroll down and about 4-5 rows up from the bottom you should see the  icon[†]. Select this icon and click **OK**. Click **OK** again to close the **Word Options** box.

Let's make sure the macro recorded correctly by clicking on the icon to open the Equation Editor. Once again it should open the editor box for you to type mathematical expressions. If the editor box does not appear, please ask the instructor for help.

- Type the string of letters 'abcd' into the empty Equation Editor box. Notice that they are italicized, since Equation Editor assumes that are letters are variable names.
- Choose **Text** from the **Style** menu and type 'abcd' again. You should see that it is no longer italicized. You usually only use this **Text** option when typing short text like 'and' or 'or' in your mathematical expressions without having to close Equation Editor. Longer text should be typed in regular Word.
- Switch the **Style** back to **Math**. Now type 'sina' and see that once you type the letters 'sin', Equation Editor recognizes this as the sine function and changes the font so that it is not in italics. It also added the spacing before the variable 'a'. Equation Editor similarly recognizes other common functions.
- Close the Editor by either pressing **ESC** or clicking outside of the editing box.

Now you can use either icon to open an Equation Editor.


Let's get back to the sentence at the beginning of this section.

The equation $\sum_{n=1}^{\infty} \frac{1}{2^n} = 1$ can be demonstrated by cutting a sheet of paper into pieces.

- Begin typing the sentence in Word. When you reach the point where the summation symbol occurs, open Equation Editor.

[†] In Word 2003, Equation Editor 3.0 is already associated with the icon  and it is much easier to get it on the menu bar (no need to record a macro). Ask the instructor if you need directions for Word 2003.

- On the Equation toolbar, find the **Summation Template** button that looks like . Click on it to reveal the five different kinds of summation templates available. Click on the template that includes both upper and lower limits on the summation sign, which should be the third template.



The correct kind of summation sign should now have been inserted into your editing box – the summation should have empty boxes above and below it, as well as on the right side.

- Click inside the box below the summation and type 'n = 1'.
- Click inside the top box. Try to insert the '∞' symbol by using your shortcut (Ctrl + 8) and you will see that it does not work. Unfortunately, Word and Equation Editor do not share the same keyboard shortcuts. A list of common shortcuts can be found at the end of this Activity and in the **Help** menu. However, you will see that the Equation toolbar has a **Miscellaneous Symbols** button  that appears to include the '∞' symbol. Click on this button and select the '∞' template to insert it into the editor box. At this point the summation symbol should look like it is supposed to.
- Now, click in the empty box to the right of the summation sign. This is where we want to put the fraction ' $\frac{1}{2^n}$ '. Find the **Full-Sized Vertical Fraction** template (it looks like this ) by exploring the Equation toolbar. When you find it, click on it to insert an empty fraction into your editing box. Type '1' in numerator box and type '2' in the denominator box.
- To get the superscript for the ' 2^n ', select the **Superscript** template  from the Equation toolbar. This will create an empty superscript box where you can type the 'n'.
- Now click inside your editing box to the right of your fraction and type '=1'. Notice that Equation Editor automatically places the correct spacing around the '=' sign because you are in math style.
- Close the Editor by either pressing **ESC** or clicking outside of the editing box.
- Finish typing the sentence in Word.

Embellishments

If you want to add an embellishment (e.g. $\sim$, $\wedge$) onto a *single* character in Equation Editor, simply use an embellishment from the Equation toolbar. For example, to create $\tilde{a}$,

- Open the Equation Editor and type 'a'. Then under the **Embellishment**  templates, choose the appropriate template.

To get more complicated expressions, such as $\overline{AB}$, we cannot use the **Embellishments** templates since they only work for single characters. We will use the **Underbar** and **Overbar** templates  instead.

- Open the Equation Editor and type AB .
- Highlight both letters and choose the **Right Arrow Over-Bar** template . This should place an arrow over both letters.

An even more complicated expression such as $\underbrace{a_1 + a_2 + \dots + a_n}_{n \text{ terms}}$ will use the Fence templates .

- Open Equation Editor and type in the expression $a_1 + a_2 + \dots + a_n$. Be sure to use the Ellipses template found under the Spaces and Ellipses button  rather than just typing in three periods. Also, you may find it quicker to use the subscript (low) keyboard shortcut Ctrl + L.
- Highlight the entire expression and choose the Lower Horizontal Brace template .
- Click in the empty box below the brace and type 'n terms'. At first you will probably notice that Equation Editor will not let you put space between the 'n' and the 't' and all of the letters are italicized. Recall, that you must change the style to Text in order to get non-italicized words. You can also add spaces while in Text mode.

Unfortunately, Equation Editor does not give you an enormous amount of freedom. It has a large catalog of templates, but if you want to create an expression that has no template – even a simple expression – it may be difficult or impossible to get Editor to do it.

Aligning Equations/Inequalities

When you have a multiline equation or inequality or a list of related equations or inequalities, you want the related comparison symbols to line up right under one another.

In Equation Editor, the Format menu has an alignment option that can be used to easily align multiline expressions.

- Open a new Equation Editor box and type in the following example without worrying about lining up the comparison symbols.

$$x + 4 < 7x - 6$$

$$4 + 6 < 7x - x$$

$$10 < 6x$$

$$\frac{10}{6} < x$$

$$x > \frac{10}{6}$$

- Notice that by default, Equation Editor aligns everything on the far left. Under the Format menu, select **Align at =**. Now your inequalities should look like the one above with all of the inequalities aligned together.

Sometimes you want to force Equation Editor to line expressions up in a special way. In this case, you will need to use the Alignment symbol  found under the Spaces and Ellipses templates.

- Open Equation Editor and type the following example without worrying about lining it up.

$$3x < 15 \text{ or } 2x > 70$$

$$x < 5 \text{ or } x > 35$$

- To line up the equations at the word ‘or’, place the alignment symbol  after each “or”. Exit the Editor and your equations should now look like this:

$$3x < 15 \text{ or } 2x > 70$$

$$x < 5 \text{ or } x > 35$$

Sometimes equation editor will not align as you had hoped or you want to add more space to an expression. To force equation editor to add spaces, simply type Ctrl+Space Bar.

- Type the following sentence including the extra space.

When typing a list of symbols in equation editor such as $+, \times, \div, \dots$,
you may need to add spaces so that it looks like this $+, \times, \div, \dots$.

Keyboard Shortcuts in Equation Editor

The following tables give some of the keyboard shortcuts that can be used in Equation Editor. These lists are taken from Equation Editor’s Help menu. **Note:** The letters in the key combinations refer to the key only – do **not** press Shift to capitalize them.


To insert	Template	Press
	Parentheses	CTRL+9 or CTRL+0
	Brackets	CTRL+[or CTRL+]
	Braces	CTRL+{ or CTRL+}
	Fraction	CTRL+F
	Slash fraction	CTRL+ /
	Superscript	CTRL+H
	Superscript (high)	
	Subscript (low)	CTRL+L
	Joint sub/superscript	CTRL+J
	Integral	CTRL+I
	Absolute value	CTRL+T,
	Root	CTRL+R
	nth root	CTRL+T, N
	Summation	CTRL+T, S
	Product	CTRL+T, P
	Matrix template 3X3	CTRL+T, M
	Underscript (limit)	CTRL+T, U

To insert	Representing	Press CTRL+K,
∞	Infinity	I
$\rightarrow$	Arrow	A
∂	Derivative (partial)	D
$\leq$	Less than or equal to	<
$\geq$	Greater than or equal to	>
$\times$	Times	T
$\in$	Element of	E
$\notin$	Not an element of	SHIFT+E
$\subset$	Contained in	C
$\not\subset$	Not contained in	SHIFT+C

- Use the keyboard shortcuts to type the following expression in Equation Editor.

$$\lim_{x \rightarrow 3} \frac{x^3(x+2)}{(x-3)^2} = \infty$$

The Good, the Bad, and the Ugly

If you were an observant student, you may have noticed that under the Insert tab, Symbols group there is a button for equations . Let's see if we can use this (much easier to access) option for inserting equations into our document. We will be considering the same sentence from before:

The equation $\sum_{n=1}^{\infty} \frac{1}{2^n} = 1$ can be demonstrated by cutting a sheet of paper into pieces.

- Type the sentence until you reach the summation notation.
- Under the Insert tab, Symbols group, click on the Equation button (do not access the drop down menu).
- You will see that the top menu now contains several equation and symbol options. A box also appears where you left your cursor that says Type Equation Here. Use the menu and templates to type the summation.
- You should notice that it does not display the summation the way that you want it. The “n=1” and the ∞ are not below and above the summation, but rather to the lower and upper right of it.
- On the equation box, click on the arrow to open a drop down menu. Click on Change to Display. Now you will see that the expression is displayed as you would like it, however it is on it's own separate line.
- Try to click on the box and move it to the line that the sentence is on. It won't work.
- Open the drop down menu again and click on Change to Inline. It will go back to inline style and you can get it on the same line as the sentence.
- Raise your hand, shake your fist, and curse (under your breath) at Microsoft!

[At the end of class, Dr. Crawford will show you a couple other things with this Insert Equation option.]

One other unfortunate piece of news: ***The computers in all of the classes and labs will reset each time they are started. So unfortunately, any shortcuts, macros, and new menu buttons you have added will not be there when you return.***